



Allumio

Lighting Design

PALLAS

PALLAS Series



- ❖ White Frame
- ❖ Available Single, Double & Triple Fixtures
- ❖ COB LED
- ❖ CREE Chips
- ❖ Tridonic Driver
- ❖ Dali Available
- ❖ 100 Lumens Per Watt
- ❖ CRI>90
- ❖ 3 Step MacAdam Ellipse
- ❖ Beam Angles 15°, 24°, 36°
- ❖ Voltage Range AC200 – 240V
- ❖ Power factor >0.91
- ❖ IP20 rated

ALLUMIO PALLAS

WATTAGE	25W	50W	75W
CCT	3k Warm White	4k Cool White	6k Daylight White
BEAM ANGLE	15	24	36
DIMMING	S Switching	D Dimmable	DD Dali Dimming

Code Chart

Range Name	Wattage	Colour Temperature	Beam Angle	Dimming
PALLAS -	50	3	36	DD
Example - PALLAS-50336DD				



PALLAS Series



ALLUMIO PALLAS

WATTAGE	25W	50W	75W
DOWNLIGHTS	1	2	3
LENGTH (mm)	185	370	500
WIDTH (mm)	185	185	185
CUTOUT (mm)	165 X 165	350 X 165	480 X 165

❖ Wattages can be customised for specific projects

