



ELEVAGE
LIGHTING GROUP


Consult. Supply. *Illuminate.*

**Track
Lighting**

elevagegroup.com.au

ASCELLA SERIES

The Ascella Series allows the user to adjust the beam angle and focus of the light from 15° to 58° by simply turning the head of the fitting. Ascella fitting also give you the option to change the colour temperature from warm, cool to daylight white.



- ❖ Available in Black and White frame
- ❖ 3 Colour Switchable
- ❖ CR>180
- ❖ Bridgelux chip
- ❖ Tridonic Driver
- ❖ Power Factor >0.90
- ❖ >50,000 hours lamp life
- ❖ Aluminium frame



TRIC TRACK SLIM SERIES

Product Features

Black or White Frame

Trailing and Leading Edge

Dimming Available

360 ° Twist Angle

Can be retrofitted to existing track

(3 wire single circuit or 4 wire)

CRI 90

Beam angle 12°, 24°, 38°, 45°

Voltage Range AC200-240V

Output Voltage DC30-42V

Power factor >0.92

Cree chip LED

IP20 rated


>50,000 hrs lamp life



TRIC TRACK STANDARD 3 WIRE ACCESSORIES



tric TRACK-X CONNECTOR



tric TRACK-T CONNECTOR



tric TRACK-L CONNECTOR



tric TRACK-FLEXI



tric TRACK-CONNECTOR



tric TRACK-SUSPENSION



tric TRACK-WIRE1000
tric TRACK-WIRE2000



TRIC TRACK RECESSED 3 WIRE ACCESSORIES



tric TRACK-X CONNECTOR.REC



tric TRACK-T CONNECTOR.REC



tric TRACK-L CONNECTOR.REC



tric TRACK-CONNECTOR.REC




tric TRACK-WIRE1000.REC
tric TRACK-WIRE2000.REC



TRIC TRACK STANDARD 4 WIRE ACCESSORIES



tric TRACK4-X CONNECTOR



tric TRACK4-T CONNECTOR



tric TRACK4-L CONNECTOR



tric TRACK4-FLEXI



tric TRACK4-CONNECTOR



tric TRACK-SUSPENSION



tric TRACK4-WIRE1000
tric TRACK4-WIRE2000



TRIC TRACK RECESSED 4 WIRE ACCESSORIES



tric TRACK4-X CONNECTOR.REC




tric TRACK4-T CONNECTOR.REC



tric TRACK4-L CONNECTOR.REC



tric TRACK4-CONNECTOR.REC



tric TRACK4-WIRE1000.REC
tric TRACK4-WIRE2000.REC



Consult. Supply. *Illuminate.*

Elevage Lighting Group
6/8 Murphy St, O'Connor
Perth WA, 6163

sales@elevagegroup.com.au