

tric CONE Series



- 90mm Cut Out
- Size 110x75mm
- Dimming available
- White Frame
- CRI 90
- Standard Beam Angle 60°
- Voltage Range AC100 – 240V
- Power factor >0.91
- IP20 rated
- >50,000 hrs lamp life

Model	Power	Lumens	Colour Temp	Dimmable
tric CONE-10W3K.S	10w	1000lm	3000k	No
tric CONE-10W4K.S	10w	1000lm	4000k	No
tric CONE-10W5K.S	10w	1000lm	5000k	No
tric CONE-10W6K.S	10w	1000lm	6000k	No
tric CONE-10W3K.DIM	10w	1000lm	3000k	Yes
tric CONE-10W4K.DIM	10w	1000lm	4000k	Yes
tric CONE-10W5K.DIM	10w	1000lm	5000k	Yes
tric CONE-10W6K.DIM	10w	1000lm	6000k	Yes
tric CONE-10W3K.DALI	10w	1000lm	3000k	Yes
tric CONE-10W4K.DALI	10w	1000lm	4000k	Yes
tric CONE-10W5K.DALI	10w	1000lm	5000k	Yes
tric CONE-10W6K.DALI	10w	1000lm	6000k	Yes



tric CONE Series



- 115mm Cut Out
- Size 130x96mm
- Dimming available
- White Frame
- CRI 90
- Standard Beam Angle 60°
- Voltage Range AC100 – 240V
- Power factor >0.91
- IP20 rated
- >50,000 hrs lamp life

Model	Power	Lumens	Colour Temp	Dimmable
tric CONE-15W3K.S	15w	1500lm	3000k	No
tric CONE-15W4K.S	15w	1500lm	4000k	No
tric CONE-15W5K.S	15w	1500lm	5000k	No
tric CONE-15W6K.S	15w	1500lm	6000k	No
tric CONE-15W3K.DIM	15w	1500lm	3000k	Yes
tric CONE-15W4K.DIM	15w	1500lm	4000k	Yes
tric CONE-15W5K.DIM	15w	1500lm	5000k	Yes
tric CONE-15W6K.DIM	15w	1500lm	6000k	Yes
tric CONE-15W3K.DALI	15w	1500lm	3000k	Yes
tric CONE-15W4K.DALI	15w	1500lm	4000k	Yes
tric CONE-15W5K.DALI	15w	1500lm	5000k	Yes
tric CONE-15W6K.DALI	15w	1500lm	6000k	Yes



tric CONE Series



- 140mm Cut Out
- Size 158x106mm
- Dimming available
- White Frame
- CRI 90
- Standard Beam Angle 60°
- Voltage Range AC100 – 240V
- Power factor >0.91
- IP20 rated
- >50,000 hrs lamp life

Model	Power	Lumens	Colour Temp	Dimmable
tric CONE-20W3K.S	20w	2000lm	3000k	No
tric CONE-20W4K.S	20w	2000lm	4000k	No
tric CONE-20W5K.S	20w	2000lm	5000k	No
tric CONE-20W6K.S	20w	2000lm	6000k	No
tric CONE-20W3K.DIM	20w	2000lm	3000k	Yes
tric CONE-20W4K.DIM	20w	2000lm	4000k	Yes
tric CONE-20W5K.DIM	20w	2000lm	5000k	Yes
tric CONE-20W6K.DIM	20w	2000lm	6000k	Yes
tric CONE-20W3K.DALI	20w	2000lm	3000k	Yes
tric CONE-20W4K.DALI	20w	2000lm	4000k	Yes
tric CONE-20W5K.DALI	20w	2000lm	5000k	Yes
tric CONE-20W6K.DALI	20w	2000lm	6000k	Yes



tric CONE Series



- 165mm Cut Out
- Size 182x118mm
- Dimming available
- White Frame
- CRI 90
- Standard Beam Angle 60°
- Voltage Range AC100 – 240V
- Power factor >0.91
- IP20 rated
- >50,000 hrs lamp life

Model	Power	Lumens	Colour Temp	Dimmable
tric CONE-30W3K.S	30w	3000lm	3000k	No
tric CONE-30W4K.S	30w	3000lm	4000k	No
tric CONE-30W5K.S	30w	3000lm	5000k	No
tric CONE-30W6K.S	30w	3000lm	6000k	No
tric CONE-30W3K.DIM	30w	3000lm	3000k	Yes
tric CONE-30W4K.DIM	30w	3000lm	4000k	Yes
tric CONE-30W5K.DIM	30w	3000lm	5000k	Yes
tric CONE-30W6K.DIM	30w	3000lm	6000k	Yes
tric CONE-30W3K.DALI	30w	3000lm	3000k	Yes
tric CONE-30W4K.DALI	30w	3000lm	4000k	Yes
tric CONE-30W5K.DALI	30w	3000lm	5000k	Yes
tric CONE-30W6K.DALI	30w	3000lm	6000k	Yes



tric CONE Series



- 210mm Cut Out
- Size 230x130mm
- Dimming available
- White Frame
- CRI 90
- Standard Beam Angle 60°
- Voltage Range AC100 – 240V
- Power factor >0.91
- IP20 rated
- >50,000 hrs lamp life

Model	Power	Lumens	Colour Temp	Dimmable
tric CONE-40W3K.S	40w	3800lm	3000k	No
tric CONE-40W4K.S	40w	3800lm	4000k	No
tric CONE-40W5K.S	40w	3800lm	5000k	No
tric CONE-40W6K.S	40w	3800lm	6000k	No
tric CONE-40W3K.DIM	40w	3800lm	3000k	Yes
tric CONE-40W4K.DIM	40w	3800lm	4000k	Yes
tric CONE-40W5K.DIM	40w	3800lm	5000k	Yes
tric CONE-40W6K.DIM	40w	3800lm	6000k	Yes
tric CONE-40W3K.DALI	40w	3800lm	3000k	Yes
tric CONE-40W4K.DALI	40w	3800lm	4000k	Yes
tric CONE-40W5K.DALI	40w	3800lm	5000k	Yes
tric CONE-40W6K.DALI	40w	3800lm	6000k	Yes

