

eLEDtric

**LINEAR Series**



**ELEVAGE**  
LIGHTING GROUP

Consult. Supply. *Illuminate.*

[elevagegroup.com.au](http://elevagegroup.com.au)



# eLEDtric

LINEAR Series

*The eLEDtric LINEAR Series is a flexible option for those looking to customise their lighting.*

*This range allows for a number of lights to be attached together providing unlimited options in design to fulfill both lighting and design requirements. Or it can be simply used as individual lengths.*

*There is also the option to change the configuration as the lighting requirements change over time.*

*The eLEDtric LINEAR series versatility is further enhanced as it can integrate into a Dali system.*

*The simplicity of the designs, with built in, surface mounted or ceiling hung options allow for limitless applications.*

The logo for eLEPtric, featuring the word 'eLEPtric' in a bold, black, sans-serif font with a yellow outline. The 'e' is lowercase, while 'LEPtric' is uppercase. The background of the slide shows a modern interior ceiling with horizontal wooden slats and recessed linear lighting fixtures.

**LINEAR Series**

## Product Features

- *Black, white and silver aluminium frames available*
- *Trailing and leading edge dimming*
- *DALI*
- *Emergency 33% Light output for 90 minutes*
- *Available in 600mm to 2400mm lengths*



**ELEVAGE**  
LIGHTING GROUP

Consult. Supply. *Illuminate.*

[elevagegroup.com.au](http://elevagegroup.com.au)



**eLEDtric**

LINEAR Series

## Light Performance

- *High performance optics and uniform light distribution*
- *UGR<19*
- *3 Step MacAdam Ellipse*
- *Luminaire output efficacy up to 100LM Per watt*
- *Standard CRI 90*
- *CCT 3,000k, 4,000k, 5,000k, and 6,000k*
- *Standard Beam Angle 110°*
- *50,000 hours lamp life*



Consult. Supply. *Illuminate.*

[elevagegroup.com.au](http://elevagegroup.com.au)



# Electrical

- *Input voltage AC200-240V – 50/60HZ*
- *Flicker Free Driver*
- *Output voltage DC30-42V*
- *PF>0.92 at full load*
- *Edison chip LED*
- *Ambient operating temperature -25~45°C*



Consult. Supply. *Illuminate.*

[elevagegroup.com.au](http://elevagegroup.com.au)

# Ratings

- *IP20*
- *IK08*
- *CE – EMC*
- *CE-LVD*
- *SAA*
- *C-tick*
- *TUV*
- *RoHS*


# Warranty

- *3 years*

# tric LINEAR Series




Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-15W3K.600	15w	3000k	600
tric LINEAR-15W4K.600	15w	4000k	600
tric LINEAR-15W5K.600	15w	5000k	600
tric LINEAR-15W6K.600	15w	6000k	600
tric LINEAR-15W3K.600DIM	15w	3000k	600
tric LINEAR-15W4K.600DIM	15w	4000k	600
tric LINEAR-15W5K.600DIM	15w	5000k	600
tric LINEAR-15W6K.600DIM	15w	6000k	600
tric LINEAR-15W3K.600DALI	15w	3000k	600
tric LINEAR-15W4K.600DALI	15w	4000k	600
tric LINEAR-15W5K.600DALI	15w	5000k	600
tric LINEAR-15W6K.600DALI	15w	6000k	600
tric LINEAR-15W3K.600.1-10v	15w	3000k	600
tric LINEAR-15W4K.600.1-10v	15w	4000k	600
tric LINEAR-15W5K.600.1-10v	15w	5000k	600
tric LINEAR-15W6K.600.1-10v	15w	6000k	600



# tric LINEAR Series




Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-20W3K.900	20w	3000k	900
tric LINEAR-20W4K.900	20w	4000k	900
tric LINEAR-20W5K.900	20w	5000k	900
tric LINEAR-20W6K.900	20w	6000k	900
tric LINEAR-20W3K.900DIM	20w	3000k	900
tric LINEAR-20W4K.900DIM	20w	4000k	900
tric LINEAR-20W5K.900DIM	20w	5000k	900
tric LINEAR-20W6K.900DIM	20w	6000k	900
tric LINEAR-20W3K.900DALI	20w	3000k	900
tric LINEAR-20W4K.900DALI	20w	4000k	900
tric LINEAR-20W5K.900DALI	20w	5000k	900
tric LINEAR-20W6K.900DALI	20w	6000k	900
tric LINEAR-20W3K.900.1-10v	20w	3000k	900
tric LINEAR-20W4K.900.1-10v	20w	4000k	900
tric LINEAR-20W5K.900.1-10v	20w	5000k	900
tric LINEAR-20W6K.900.1-10v	20w	6000k	900





# tric LINEAR Series


Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-30W3K.1200	30w	3000k	1200
tric LINEAR-30W4K.1200	30w	4000k	1200
tric LINEAR-30W5K.1200	30w	5000k	1200
tric LINEAR-30W6K.1200	30w	6000k	1200
tric LINEAR-30W3K.1200DIM	30w	3000k	1200
tric LINEAR-30W4K.1200DIM	30w	4000k	1200
tric LINEAR-30W5K.1200DIM	30w	5000k	1200
tric LINEAR-30W6K.1200DIM	30w	6000k	1200
tric LINEAR-30W3K.1200DALI	30w	3000k	1200
tric LINEAR-30W4K.1200DALI	30w	4000k	1200
tric LINEAR-30W5K.1200DALI	30w	5000k	1200
tric LINEAR-30W6K.1200DALI	30w	6000k	1200
tric LINEAR-30W3K.1200.1-10v	30w	3000k	1200
tric LINEAR-30W4K.1200.1-10v	30w	4000k	1200
tric LINEAR-30W5K.1200.1-10v	30w	5000k	1200
tric LINEAR-30W6K.1200.1-10v	30w	6000k	1200



# tric LINEAR Series



Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-40W3K.1500	40w	3000k	1500
tric LINEAR-40W4K.1500	40w	4000k	1500
tric LINEAR-40W5K.1500	40w	5000k	1500
tric LINEAR-40W6K.1500	40w	6000k	1500
tric LINEAR-40W3K.1500DIM	40w	3000k	1500
tric LINEAR-40W4K.1500DIM	40w	4000k	1500
tric LINEAR-40W5K.1500DIM	40w	5000k	1500
tric LINEAR-40W6K.1500DIM	40w	6000k	1500
tric LINEAR-40W3K.1500DALI	40w	3000k	1500
tric LINEAR-40W4K.1500DALI	40w	4000k	1500
tric LINEAR-40W5K.1500DALI	40w	5000k	1500
tric LINEAR-40W6K.1500DALI	40w	6000k	1500
tric LINEAR-40W3K.1500.1-10v	40w	3000k	1500
tric LINEAR-40W4K.1500.1-10v	40w	4000k	1500
tric LINEAR-40W5K.1500.1-10v	40w	5000k	1500
tric LINEAR-40W6K.1500.1-10v	40w	6000k	1500



## Other sizes available


- 1800mm
- 2400mm

All units can be ordered to link or as individual units. All cabling internal to fitting on connected units.

# tric LINEAR Series




Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-50W3K.1800	50w	3000k	1800
tric LINEAR-50W4K.1800	50w	4000k	1800
tric LINEAR-50W5K.1800	50w	5000k	1800
tric LINEAR-50W6K.1800	50w	6000k	1800
tric LINEAR-50W3K.1800DIM	50w	3000k	1800
tric LINEAR-50W4K.1800DIM	50w	4000k	1800
tric LINEAR-50W5K.1800DIM	50w	5000k	1800
tric LINEAR-50W6K.1800DIM	50w	6000k	1800
tric LINEAR-50W3K.1800DALI	50w	3000k	1800
tric LINEAR-50W4K.1800DALI	50w	4000k	1800
tric LINEAR-50W5K.1800DALI	50w	5000k	1800
tric LINEAR-50W6K.1800DALI	50w	6000k	1800
tric LINEAR-50W3K.1800.1-10v	50w	3000k	1800
tric LINEAR-50W4K.1800.1-10v	50w	4000k	1800
tric LINEAR-50W5K.1800.1-10v	50w	5000k	1800
tric LINEAR-50W6K.1800.1-10v	50w	6000k	1800



# tric LINEAR Series



Product Code	Power	Colour Temp	Length (mm)
tric LINEAR-15W3K.CORNER	15w	3000k	300 x 300
tric LINEAR-15W4K.CORNER	15w	4000k	300 x 300
tric LINEAR-15W5K.CORNER	15w	5000k	300 x 300
tric LINEAR-15W6K.CORNER	15w	6000k	300 x 300
tric LINEAR-15W3K.CORNER.DIM	15w	3000k	300 x 300
tric LINEAR-15W4K.CORNER.DIM	15w	4000k	300 x 300
tric LINEAR-15W5K.CORNER.DIM	15w	5000k	300 x 300
tric LINEAR-15W6K.CORNER.DIM	15w	6000k	300 x 300
tric LINEAR-15W3K.CORNER.DALI	15w	3000k	300 x 300
tric LINEAR-15W4K.CORNER.DALI	15w	4000k	300 x 300
tric LINEAR-15W5K.CORNER.DALI	15w	5000k	300 x 300
tric LINEAR-15W6K.CORNER.DALI	15w	6000k	300 x 300
tric LINEAR-15W3K.CORNER.1-10v	15w	3000k	300 x 300
tric LINEAR-15W4K.CORNER.1-10v	15w	4000k	300 x 300
tric LINEAR-15W5K.CORNER.1-10v	15w	5000k	300 x 300
tric LINEAR-15W6K.CORNER.1-10v	15w	6000k	300 x 300






tric LINEAR Series  
deconstructed



tric LINEAR Series

tric LINEAR-SUSPENSION



tric LINEAR-LINK

**eLEDtric**  
LINEAR Series

 **ELEVAGE**  
LIGHTING GROUP

Consult. Supply. *Illuminate.*

[elevagegroup.com.au](http://elevagegroup.com.au)