




NEON 612



TAPE AND
PROFILES

a product data sheet by
Elevage Lighting Group



NEON 612 lights are flexible tape lights designed for confined spaces, featuring a narrower width that makes them perfect for subtle illumination in tighter areas. Ideal for accenting architectural details or providing ambient lighting in small nooks, these versatile lights seamlessly blend functionality with style, enhancing any environment without overwhelming it.

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Built for extreme environments
- 3 Step MacAdam ellipse
- CRI: > 90
- 40 Lumens per watt
- DC24V
- Power factor: >0.91
- IP67 rated
- CREE chip 2835
- Temperature - 20°C ~ 50°C
- Size 12mm x 6mm





PRODUCT CONFIGURATION GUIDE

NEON 612 range is available in the following structure to suit your project requirements.

Available Options

- Power: 10W, 15W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)

STRUCTURE	
Power (Wattage)	CCT (K)
10	• 3 • 4 • 5
15	

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

NEON612

-

-

(Range Name)

(Power)

(CCT)



a product data sheet by

Elevage Lighting Group