

Aallumio

CAPELLA INDOOR SERIES



SURFACE
MOUNTED

a product data sheet by

Elevage Lighting Group



CAPELLA INDOOR SERIES

lights offer a sleek, high-end design that enhances the aesthetic appeal of any space. Their modern lines create a striking focal point, while the premium materials and finishes reflect a sophisticated look.



The Coffee Commune,
Bowen Hills QLD

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Aluminium frame
- UGR<19
- CRI: > 90
- 3 Step MacAdam ellipse
- 100 lumens per watt
- Voltage range: AC200-240V
- Power factor: >0.90
- IP65 rated (Indoor use only)
- Beam angles: 20/40/60°
- 50,000 hours lamp life





PRODUCT CONFIGURATION GUIDE

CAPELLA INDOOR SERIES range is available in the following structure and measurements to suit your project requirements.

Available Options

- Power: 10W, 20W, 30W, 40W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)



STRUCTURE				MEASUREMENTS	
Power (Wattage)	CCT (K)	Control	Body Colour	Diameter (mm)	Height (mm)
10	• 3 • 4 • 5	• Switching (S) • Dimming (DIM) • DALI	• Black (B) • White (W)	75	100
20				95	152
30				115	152
40				140	162

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

CAPELLA-IN

-

-

-

-

(Range Name)

(Power)

(CCT)

(Control)

(Body Colour)



a product data sheet by

Elevage Lighting Group