




NEON 1516



TAPE AND
PROFILES

a product data sheet by
Elevage Lighting Group



NEON 1516 lights provide a distinctive glow that enhances any environment with their sleek, modern design. Ideal for both residential and commercial spaces, these versatile fixtures create an inviting atmosphere while highlighting key architectural features and adding a unique touch to your decor.


 CSI Club Southport QLD

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Built for extreme environments
- 3 Step MacAdam ellipse
- CRI: > 90
- 40 Lumens per watt
- DC24V
- Power factor: >0.91
- IP67 rated
- CREE chip 5050
- Temperature - 20°C ~ 50°C
- Size 15mm x 16mm





PRODUCT CONFIGURATION GUIDE

NEON 1516 range is available in the following structure to suit your project requirements.

Available Options

- Power: 10W, 15W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)

STRUCTURE	
Power (Wattage)	CCT (K)
10	• 3 • 4 • 5
15	

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

NEON1516

-

-

(Range Name)

(Power)

(CCT)



a product data sheet by

Elevage Lighting Group