

Aallumio

QUADRA SERIES



SURFACE
MOUNTED

a product data sheet by

Elevage Lighting Group



QUADRA SERIES lights offer a sleek, high-end design that enhances the aesthetic appeal of any space. Their modern lines create a striking focal point, while the premium materials and finishes reflect a sophisticated look.

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Aluminium frame
- CRI: > 90
- 3 Step MacAdam ellipse
- 100 lumens per watt
- Voltage range: AC200-240V
- Power factor: >0.90
- IP20 rated (Indoor use only)
- Beam angles: 24/36/60°
- 50,000 hours lamp life






PRODUCT CONFIGURATION GUIDE

QUADRA SERIES range is available in the following structure and measurements to suit your project requirements

Available Options

- Power: 16W, 40W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)



STRUCTURE				MEASUREMENTS		
Power (Wattage)	CCT (K)	Control	Body Colour	Length (mm)	Width (mm)	Height (mm)
16 (4*4w)	• 3 • 4 • 5	• Switching (S) • Dimming (DIM) • DALI	• Black (B) • White (W)	202	202	110
40 (4*10w)						

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

QUADRA

-

-

-

-

(Range Name)

(Power)

(CCT)

(Control)

(Body Colour)



a product data sheet by

Elevage Lighting Group