

allumio

SILO SERIES



WALL LIGHT

a product data sheet by

Elevage Lighting Group



SILO SERIES is a sleek wall light designed to enhance architectural spaces with subtle, directional illumination. Its minimalist form blends seamlessly into walls, delivering a warm and welcoming glow for steps, walkways and feature areas

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Aluminium frame
- CRI: > 90
- 3 Step MacAdam ellipse
- 100 lumens per watt
- Voltage range: AC120-277V
- Power factor: >0.90
- IP65
- IK06
- Beam angles: 15, 24, 36°
- L80 B10 $\geq$ 50,000h






PRODUCT CONFIGURATION GUIDE


SILO SERIES range is available in the following structure and measurements to suit your project requirements

Available Options


- Power: 12W, (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K (simplified on table for code purposes)



440



660



FRAME

STRUCTURE					MEASUREMENTS
Variation	Power (Wattage)	CCT (K)	Control	Body Colour	External (mm)
440	12	• 3 • 4	• Switching (S) • Dimming (DIM) • DALI	• Black (B) • White (W) • Bronze (B)	L440 X W120 X D80
660					L660 X W120 X D80
FRAME					L500 X W120 X D80

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

SILO

-

12

-

-

-

(Range Name)

(Variation)

(Power)

(CCT)

(Control)

(Body Colour)



5 year warranty



a product data sheet by

Elevage Lighting Group