


Aallumio

VAULT



LINEAR
DOWNLIGHT

a product data sheet by
Elevage Lighting Group



VAULT SERIES

light is a linear architectural fitting designed to be seamlessly recessed into the ceiling, offering a clean and contemporary lighting solution. Its precise beam focus and modern form make it ideal for commercial, retail, and high-end interior applications.

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- Aluminium frame
- CRI: > 90
- 3 Step MacAdam ellipse
- 100 lumens per watt
- Voltage range: AC200-240V
- Power factor: >0.9
- IP20 rated
- OSRAM chip
- Beam angle: 24°





PRODUCT CONFIGURATION GUIDE

VAULT SERIES range is available in the following structure and measurements to suit your project requirements.

Available Options

- Power: 16W, 40W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)

STRUCTURE					MEASUREMENTS			
Power (Wattage)	CCT (K)	Control	Body Colour	No. of Down- lights	Length (mm)	Width (mm)	Height (mm)	Cutout (mm)
10W	• 3 • 4 • 5	• Switching (S) • Dimming (DIM) • DALI	• Black (B) • White (W)	5	148	45	38	138x35
20W				10	282	45	38	272x35
30W				15	414	45	38	406x35

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

VAULT

-

-

-

-

(Range Name)

(Power)

(CCT)

(Control)

(Body Colour)



a product data sheet by

Elevage Lighting Group