


allumio

VIOLENTI



LINEAR



VIOLENTI linear Series offers a luxurious, customizable lighting solution featuring an elegant honeycomb-style diffuser that softens illumination for a refined ambiance. With the ability to link multiple units for endless design possibilities or use them as standalone lengths, its versatile designs—including built-in, surface-mounted, and ceiling-hung options—suit any upscale application.

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- CRI: > 90
- 3 Step MacAdam ellipse
- 80 lumens per watt
- UGR <16
- Voltage range: AC200-240V
- Power factor: >0.90
- IP20 rated
- Beam angle: 105°
- SDCM: 3
- Epistar Chip
- Working temperature -20 ~ 50°C
- 50,000 hours lamp life





PRODUCT CONFIGURATION GUIDE

VIOLENTI range is available in the following structure to suit your project requirements.

Available Options

- Power: 40W, 50W, 60W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)




Image: VIOLENTO in white and silver finish

STRUCTURE				MEASUREMENT		
Power (Wattage)	CCT (K)	Control	Colour	Length (mm)	Width (mm)	Height (mm)
40 Downward: 26W Upward: 14W	• 3 • 4 • 5	• 0-10V Dimming (LUTRON) • Dimming (DIM) • DALI	• Black (B) • White (W) • Silver (s)	900	40	86
50 Downward: 33W Upward: 17W				1200	40	86
60 Downward: 40W Upward: 20W				1500	40	86

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

VIOLENTI

-

-

-

-

(Range Name)

(Power)

(CCT)

(Control)

(Colour)



a product data sheet by

Elevage Lighting Group