


eLEDtric

ALETA




Details

ALETA lights are designed to illuminate walkways with directed lighting that enhances visibility for pedestrians. They minimise glare on roadways, ensuring a safer environment for both walkers and drivers.

Key Features

- Beam Angle: 10°, 15°, 30°, 45°
- Bridgelux LED chips
- Voltage: AC 200-240V
- Power Factor: >0.92
- IP65 Rating
- CRI: >90
- 50,000 hours lamp life



Fremantle, WA



Target Fremantle

eLEDtric Across Australia

Our eLEDtric lighting solutions are installed in projects across Australia, delivering reliable, high-performance illumination across a wide range of commercial environments. Outside Target Fremantle, the eLEDtric ALETA provides illumination along walkways, enhancing visibility while minimising glare to create a safer, comfortable environment for pedestrians and drivers.

Product Configuration Guide

The **tric ALETA** range is available in the below structure and measurement options to suit different project requirements.

Available Options

- Power: 20W
- Colour Temperature (CCT): 3000K / 4000K / 6000K (simplified on table for code purposes)

Structure			Measurements	
Power (Wattage)	CCT (K)	Body Colour	Length (mm)	Width (mm)
20W	• 3K • 4K • 6K	• White (WHT) • Black (BLK) • Grey (GRY)	150	150

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

tric ALETA - - -
(Range Name) (Power) (CCT) (Body Colour)

