

eLEDtric

HONEYCOMB



Details

HONEYCOMB lights are designed to bring architectural precision and visual rhythm to the ceiling plane. Designed to create a bold yet refined statement, it delivers uniform illumination while elevating contemporary commercial interiors with depth and structure.

Key Features

- Aluminium frame, White framing
- 14 Hexagon design
- CRI 90
- 100-120 Lumens per watt
- Standard Beam Angle: 270°
- Voltage Range: AC 185-265V
- IP54 Rated



eLEDtric Across Australia

Our eLEDtric lighting solutions are designed to deliver reliable, high-performance illumination across a wide range of commercial environments. The eLEDtric HONEYCOMB combines a striking geometric design with uniform illumination, creating visual rhythm and architectural interest while providing bright, consistent lighting throughout the space.

Product Configuration Guide

The **tric HONEYCOMB** range is available in the below structure and measurement options to suit different project requirements.

Available Options

- Power: 672W
- Colour Temperature (CCT): 6000K (simplified on table for code purposes)
- Control: Switch (S)

Structure				Measurements		
Power (Wattage)	CCT (K)	No. of Hexagon	Control	Length (mm)	Width (mm)	Luminaire Thickness (mm)
672W	• 6K	14	• Switch (S)	4840	2430	22

Ordering Code Structure

Based on the product configuration guide above, the product code is:

tric HONEYCOMB – 672W – 6K – S

