

eLEDtric

LINEAR



Details

LINEAR lights offer a flexible solution that seamlessly meets both lighting and design needs for any space. With customizable designs and the ability to change configurations as lighting requirements evolve, they provide a sleek, modern aesthetic that enhances simplicity and sophistication.

Key Features

- CRI 90
- 100 Lumens per watt
- Edison chip LED
- Flicker free driver
- 3 Step MacAdam Ellipse
- Standard Beam Angle: 110°
- Emergency 10% light output for 90 minutes
- Input voltage: AC200-240V- 50/60HZ
- PF>0.92 at full load
- IP20 Rated
- 50,000 Hours Lamp Life
- UGR 19



Ellenbrook, WA



Ellenbrook Fresh Market WA

eLEDtric Across Australia

Our eLEDtric lighting solutions are installed in projects across Australia, delivering reliable, high-performance illumination in a wide range of commercial environments. One of these projects is Ellenbrook Fresh Market, WA, where our lighting helps create a bright, welcoming retail experience.

Product Configuration Guide

The **tric LINEAR** range is available in the following structure and measurements options to suit different project requirements.

Available Options

- Power: 15W, 20W, 30W, 40W, 50W
- Colour Temperature (CCT): 3000K, 4000K, 5000K, 6000K (simplified on table for code purposes)
- Control: Switch (S), Dimming (DIM) or DALI
- Various measurements and body colour

Structure				Measurements		
Power (Wattage)	CCT (K)	Control	Body Colour	Length (mm)	Width (mm)	Height (mm)
15W	• 3K • 4K • 5K • 6K	• Switch (S) • DIMMABLE (DIM) • DALI	• Black (BLK) • White (WHT) • Silver (SIL)	595	62	80
20W				895	62	80
30W				1195	62	80
40W				1495	62	80
50W				1795	62	80

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

tric LINEAR - - - -

(Range Name) (Power) (CCT) (Control) (Body Colour)

