

eLEDtric

TRACK SLIM



Details


TRACK SLIM lighting offers versatile illumination with options for singular circuit (3 wires) or three circuit (4 wires) configurations, making them suitable for a range of settings, from restaurants to fashion stalls and entertainment facilities. Their adjustable design allows users to direct light precisely where needed, ensuring optimal visibility and ambiance in any space.



Key Features

- SDCM: ≤ 3
- 95 lumens per watt
- KGP driver
- Beam angle: 45° (Standard)
- CREE LED chip (COB)
- Voltage: AC 200 - 240V
- Power Factor: >0.90
- IP20 Rating
- CRI: >90
- 50,000 hours lamp life

 Do not install on live track



Beaconsfield, WA



The Grocer and the Chef

eLEDtric Across Australia


Our eLEDtric lighting solutions are installed in projects across Australia, delivering reliable, high-performance illumination in a wide range of commercial environments. One of these projects is The Grocer and the Chef in Beaconsfield, WA, where our lighting helps create a bright, welcoming retail experience.

Product Configuration Guide

The **tric TRACK SLIM** range is available in the below structure and measurement options to suit different project requirements.

Available Options

- Power: 10W, 20W, 30W
- Colour Temperature (CCT): Colour Switchable (CS): 3000K / 4000K / 5000K (simplified on table for code purposes)
- Circuit: Single (C1), Three (C3)
- Control: Switch (S), Dimmable (DIM), DALI



Structure					Measurements	
Power (Wattage)	CCT (K)	Circuit	Body Colour	Control	Height (mm)	Diameter (mm)
10W	• Colour Switchable (CS)	• Single (C1) • Three (C3)	• Black (BLK) • White (WHT)	• Switch (S) • Dimmable (DIM) • DALI	170	62
20W					185	72
30W					185	80

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

tric TRACKSLIM - - **CS** - - - -

(Range Name) (Power) (CCT) (Circuit) (Body Colour) (Control)

