

LEDlux

DISNEY



DETAILS

DISNEY EMERGENCY LIGHT is a dual-head LED fixture designed to provide focused illumination during power outages, making it ideal for warehouses, car parks, and large spaces. Equipped with a rechargeable battery, it automatically activates when mains power is lost, ensuring visibility and safety.




Image: Architectural dimension drawing showing the front and right-side elevations of the emergency light

KEY FEATURES

- Polycarbonate material
- CRI<80
- IP20 rated
- Voltage: 220-240VAC, 50Hz
- Life Expectancy: 50,000hrs
- Rated Duration: >2hrs
- Operating temperature: 1°C to 40°C
- Battery Type: Life PO4 Lithium Battery
- Mounting Type: Surface Mounting Operating
- Mode: Non-Maintained
- Charging Type: Smart
- Battery Warranty : 3 Year

PRODUCT CONFIGURATION GUIDE

LUX DISNEY range is available in the below structure and measurement options to suit your project requirements.

STRUCTURE	MEASUREMENTS		
Power (Wattage)	Length (mm)	Width (mm)	Height (mm)
2 x 2.4W	210	46	249

Ordering Code Structure

Based on the product configuration guide above, the product code is:

LUX-EMG-DISNEY
(Range Name)

 LEDlux



ELEVAGE
LIGHTING GROUP