allumio

BONITO INDOOR SERIES



SEMI-
RECESSED

SURFACE
MOUNTED

SURFACE
MOUNTED
FIXED

a product data sheet by
Elevage Lighting Group



THE BONITO INDOOR SERIES

brings recessed and surface mounted interior lighting into a coordinated product family. The range offers CRI 90 light, several beam choices and white, black or gold finishes, giving designers ways to relate the fixture to the surrounding palette.


KEY FEATURES

- Cast aluminium body with powder-coated finish
- Polymer reflector
- Low-glare performance: UGR <10
- CRI: Ra >90 / R9 >50
- Colour temperatures: 3000K / 4000K / 6000K
- IP20 rated for indoor use
- Beam angles: 24° / 36°, with 15° available on selected track models
- 48V system for track models
- Control and dimming options vary by model
- 50,000-hour LED lifespan



PRODUCT CONFIGURATION GUIDE






SEMI-RECESSED (SR)

WATTAGE	CCT	CONTROL	EXTERNAL COLOUR	INTERNAL COLOUR	MEASUREMENTS
6W	3000K 4000K 6000K	DIMMING (DIM) DALI	W B G C	W B	L 70MM X Ø 40MM cutout Ø35MM

PRODUCT CODE BONITO-SR- [CCT] - [CONTROL] - [EXTERNAL COLOUR] - [INTERNAL COLOUR]





SEMI-RECESSED DUO (SRD)


WATTAGE	CCT	CONTROL	EXTERNAL COLOUR	INTERNAL COLOUR	MEASUREMENTS
6W X 2	3000K 4000K 6000K	DIMMING (DIM) DALI	W B G C	W B	L 70MM x Ø 40MM cutout 35 X 100MM

PRODUCT CODE BONITO-SRD- [CCT] - [CONTROL] - [EXTERNAL COLOUR] - [INTERNAL COLOUR]

5 year warranty

PRODUCT CONFIGURATION GUIDE






SURFACE MOUNTED SPOT (SMS)

WATTAGE	CCT	CONTROL	EXTERNAL COLOUR	INTERNAL COLOUR	MEASUREMENTS
6W	3000K 4000K 6000K	DIMMING (DIM) DALI	W B G C	W B	L 120MM X Ø 40MM

PRODUCT CODE BONITO-SMS- [CCT] - [CONTROL] - [EXTERNAL COLOUR] - [INTERNAL COLOUR]





SURFACE MOUNTED DUO SPOT (SMDS)


WATTAGE	CCT	CONTROL	EXTERNAL COLOUR	INTERNAL COLOUR	MEASUREMENTS
6W X 2	3000K 4000K 6000K	DIMMING (DIM) DALI	W B G C	W B	L 120MM x Ø 40MM

PRODUCT CODE BONITO-SMDS- [CCT] - [CONTROL] - [EXTERNAL COLOUR] - [INTERNAL COLOUR]

5 year warranty

PRODUCT CONFIGURATION GUIDE






SURFACE MOUNTED FIXED (SMF)

WATTAGE	CCT	CONTROL	EXTERNAL COLOUR	INTERNAL COLOUR	MEASUREMENTS
6W	3000K 4000K 6000K	DIMMING (DIM) DALI	W B G C	W B	L 90MM X Ø 40MM

PRODUCT CODE BONITO-SMF- [CCT] - [CONTROL] - [EXTERNAL COLOUR] - [INTERNAL COLOUR]

5 year warranty


allumio