allumio

OLLO



LINEAR

a product data sheet by

Elevage Lighting Group



OLLO Pendant is a refined circular pendant featuring a transparent center that disperses light evenly, creating a balanced and inviting ambiance. Its sleek, modern design combines clean lines with innovative light diffusion, casting a soft yet impactful glow that enhances the atmosphere of any interior space.

a product data sheet by

Elevage Lighting Group

KEY FEATURES

- CRI: > 80
- 4 Step MacAdam ellipse
- 90 lumens per watt
- Voltage range: AC200-240V
- Power factor: >0.90
- IP20 rated
- Beam angle: 30°
- Lifud Flicker free drivers
- Polarized filter
- Osram Chip
- Working temperature -20 ~ 50°C
- 50,000 hours lamp life



PRODUCT CONFIGURATION GUIDE

OLLO range is available in the following structure to suit your project requirements.

Available Options

- Power: 40W (simplified on table for code purposes)
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)

STRUCTURE			MEASUREMENT		
Power (Wattage)	**CCT** (K)	**Control**	**Diameter** (mm)	**Height** (mm)	**Base** (mm)
40	• Colour Switchable (CS)	• Switchable (S) • Dimmable via 2.4G remote control (DIM)	600	1200	200

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

OLLO - **40** - **CS** - _____

(Range Name) (Power) (CCT) (Control)

3 year warranty

allumio

a product data sheet by

Elevage Lighting Group