LEADlux

COB FIXED



ELEVAGE LIGHTING GROUP

DETAILS

COB FIXED DOWNLIGHT is a sleek, modern downlight featuring a chip-on-board design that delivers high-quality, even illumination with adjustable colour temperature options. Its fixed structure ensures consistent, uniform lighting—ideal for general use across residential and commercial spaces where clean design and reliable performance are essential.



Image: Available in premium White and Black finishes

KEY FEATURES

- External trailing edge dimmable driver included
- Triac-dimmable 5-100% dimming range, fast heat dissipation fast
- Flicker free
- Toughened glass diffuser
- Flex and plug included
- Standard Beam Angle: 60°
- Voltage Range: AC 200-240V
- 0.6 meter cable
- Heat sink: Polyamide and aluminium
- 50,000 Hours Lamp Life

PRODUCT CONFIGURATION GUIDE

LUX COB FIXED range is available in the below structure and measurement options to suit your project requirements.

Available Options

- Colour Temperature (CCT): Colour Switchable (CS): 3000K/ 4000K/ 6000K (simplified on table for code purposes)
- Body Colour: Black (BLK), White (WHT)

STRUCTURE			MEASUREMENTS		
Power (Wattage)	**CCT** (K)	**Body Colour**	**Diameter** (mm)	**Height** (mm)	**Cutout** (mm)
13W	Colour Switchable (CS)	• Black (BLK) • White (WHT)	102	77	90

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

LUX-COB-FIXED - 13W - CS - _____

(Range Name) (Power) (CCT) (Body Colour)

ELEVAGE LIGHTING GROUP

5 year warranty


LEADlux
ELEVAGE
LIGHTING GROUP