eleDtric

PENDULUS



ELEVAGE LIGHTING GROUP

eLEDtric

Details

PENDULUS is a sleek cylindrical pendant track light combining contemporary elegance with versatile functionality. Designed to integrate seamlessly into track lighting systems, its minimalist form delivers focused illumination while adding a sophisticated architectural touch. Ideal for retail spaces, hospitality venues, reception areas and commercial interiors, it balances style, practicality and visual comfort.



Pendulus in white body frame



Pendulus in black body frame

Key Features

- CRI: > 90
- 3 Step MacAdam ellipse
- 100 lumens per watt
- Voltage range: AC 200- 240V
- Power factor: >0.90
- IP20 rated
- Bridgelux chip
- BOKE driver
- 300mm Cable (Alternative length on request)
- Beam angle: 36°
- Operating temperature: -30°C to 50°C

ELEVAGE LIGHTING GROUP

eLEDtric



eLEDtric Across Australia


Our eLEDtric lighting solutions bring warmth and precision to thoughtfully designed interiors. In this hotel bedroom setting, a slim black pendant provides focused bedside illumination, complementing the natural timber finishes and soft textures to create a calm, inviting atmosphere.

ELEVAGE LIGHTING GROUP

eLEDtric

Product Configuration Guide

The **tric PENDULUS** range is available in the below structure and measurement options to suit different project requirements.



Available Options

- Power: 10W
- Colour Temperature (CCT): 3000K, 4000K, 5000K (simplified on table for code purposes)
- Circuit: Single (C1), Three (C3)
- Body Colour: White (W), Black (B)
- Control: Switch (S), Dimmable (DIM), DALI

Structure					Measurements	
Power (Wattage)	**CCT** (K)	**Circuit**	**Body Colour**	**Control**	**Length** (mm)	**Diameter** (mm)
10W	• 3K • 4K • 5K	• Single (C1) • Three (C3)	• White (W) • Black (B)	• Switch (S) • Dimmable (DIM) • DALI	200	60

Ordering Code Structure

Based on the product configuration guide above, use the format below to create your code:

tric PENDULUS (Range Name) - _____ (CCT) - _____ (Circuit) - _____ (Body Colour) - _____ (Control)

ELEVAGE LIGHTING GROUP

5 year warranty



ELEVAGE LIGHTING GROUP